Installation Guide for Toyota Electronic Parts Catalogue

The Japanese part of the Electronic Parts Catalogue comes on 3 CDs. These are:

. A2 (which includes the software setup)

.B1

. FI (This is a 'frame overlay' disc - I think it just provides cross-refs to some frame numbers, not sure exactly but it's part of the set!

Installation of the program To install the software, insert the CD marked A2

From the 'Start' menu select <u>"Run...",</u> Then, (assuming your CD-ROM is drive 'D' if not, substitute the appropriate letter for D below), choose your platform and then the Setup within that folder. For Win 2000 and XP choose Win 98.

The setup will then run. Follow the prompts to install the software.

Installation of the data

Having installed the program, the data now needs to be installed. You can either install the CD-ROMs onto the hard disk, or you can simply 'tell' the system where it can find the appropriate CD.

Obviously, the advantage to installing all data onto the hard disk is that you won't ever need to worry about finding the CDs to look up parts - it'll all be on the disk.

Start up EPC from Start->Programs->EPC For Windows 9x->EPC For Windows 9x (where 'x' is either 8 or 5, depending on your system).

You'll be presented with the main menu.



Click option 7, 'CD Setup'.

CD Setup screen is now displayed.

	+) TOYOT	
	CD SETUP	
	CD Setup	
	(Latest CD Setup Lang., 1 (1:English 3:French 4:German 5:Spanish))	
	Price File Setup	
	Locally Supplied Parts Setup	
	Group Setup	
	Screen File Setup	
	LEXUS Dealer Check	
	You are not regarded as a Lexus dealer. You cannot use Lexus catalogs.	
et alore 1	Select one item to be set up by sliding scroll bar and press the enter key.	
tart www	expert Word - Use COSETUP	BI 7 6

Click 'CD Setup'. The detailed CD setup screen is now shown.



⊜c:	122		
	1	æ:	<u>.</u>
	ADD		ADD
	DEL		DEL
- General area version		Japanese area v	ersion
₽ e:	-	@ c :	•
	ADD		ADD
	DEL		DEL
	/	WARPPACE COMPANY	
	/		/
ame No CD	/_		/
- Over Sea version		□ Japanese versio	n /
e:	- /	A De:	-
	ADD		ADD
	DEL		DEL
			/
	1		/

Click the check box against 'Japanese area version (Catalog CD section)' and 'Japanese version (Frame No CD section)'. This informs/EPC as to which sets you're dealing with.

Now we select the catalogue CD (A2&B1). Clicking 'ADD' beside the 'Japanese area version' section brings up the 'Change Status' box.

De:	* 400	e:		
C General area vers	Diarge Status		DEL	
æ:	Change Status			
Frame No CD ┌ Over Sea version	A1 CD-ROM A2 CD-ROM B3 CD-ROM B3 CD-ROM B3 CD-ROM B4 CD-ROM B5 CD-ROM B5 CD-ROM B6 CD-ROM B7 CD-ROM	<pre>CD-ROM</pre>	DEL	
iiiie:				
	DEL	FI Hard Disk 01/12/-01	DKL	

At this point we decide whether we want to install entirely to the hard disk or just register the CD-ROM. Select A2 & B1 in the list. You can then choose between CD-ROM and Hard Disk using the radio buttons on the right.

Clicking Hard Disk at this point will change the entry to be Hard Disk.

If you want to install CD-ROM, select them in the same way but make sure CD-ROM is selected.

Clicking OK from the Change Status screen will take you back to the detailed CD Setup screen. You may then click 'Add' or 'Delete' to change the configuration, or you can continue on and do the same thing for the Japanese frame CD, this time selecting F1 from the list.

Once you have finished selecting all your discs, you should end up with a screen similar to the one below (this example is for installing all CD-ROMs to the hard disk).

		U.S.A. area version	
e:	-		
	ADD		ADD
	DEL	, a	DEL
🗆 General area version		🗌 Japanese area version	
⊟c:	•		
	ADD	A1 Hard Dick 01/12/201	ADD
	DEL	A2 Hard Disk 01/12/01	DEL
ame No CD			
ame No CD F Over Sea version		□ Japanese version	
ame No CD F Over Sea version =c:	× 100	□ Japanese version □ c: ▼ F1 Hard Dick 01/12/*01	400
ame No CD F Over Sea version C:	× ADD	□ Japanese version □ c: ▼ F1 Hard Disk 01/12/'01	ADD
ame No CD F Over Sea version =c:	ADD DEL	<pre> Japanese version □c: F1 Hard Disk 01/12/'01 </pre>	ADD
ame No CD F Over Sea version C:	× ADD DEL	✓ Japanese version ✓ C: ✓ F1 Hard Disk 01/12/'01	ADD DEL

If you are sure this is the correct setup, clicking 'F10:Exec' or pressing F10 on your keyboard will start the CD setup process. You'll be prompted for CD-ROMs as they are needed.

When the setup is finished, you'll be returned to the CD setup menu. Clicking 'F3:Back' or pressing F3 returns you to the main menu.

Using the system

The system is pretty easy to use once you get the hang of it. At any point, you can either click on the buttons at the base of the screen to navigate, print, get help or exit, or you can press the appropriate function key.

To look for a part, select 'Part Number Translation' from the main menu. This will display the Vehicle Input screen.

MAIN MENU (TYPE-1)		
U		ΠΑ
	MAIN MENU (TYPE-1)	
	1. Part Number Translation	
	2. Part Number Application to Models	
	3. List Price	
	4. New Parts List	
	5. Save File List	
	6. Part Number List	
	7. CD Setup	
	8. Initial Setup	
Seko	lect a operation by sliding scroll bar and pressing ente	r

A simple way to find the Soarer at this point is to type	'Soarer' in the 'Model
name/Catalog Code' section and press Search.	

		JIF
	VEHICLE INPUT	
VIN/VDS Search	Model name Catalog Code	Open Save
ModelSearc	Frame No	Production Date
Characteristics Engine Body Grade	ATM/MTM Trans	Trim Code
Customer Language © English C French C G	erman C Spanish	

A range will be shown in the list, and clicking yours will take you back to the Vehicle Input screen.

	Lance a second			114000	a lane of
Model Name	Catalog	Prod Date	Models	Dat	e CD#
SUAKEK	321110	8102-8512	3210,M21#	000	6 B2
CONDER	221120	0001-0001	3220,822# 3738 W73#	000	0 01
SOARER	321140	9105-	1273# 11723#	911	9 12

Now the model code and name are populated:

CLE INPUT		
		ATA
	UYU	JIA
	VEHICLE INPUT	
VIN/VDS	Model name Catalog Code	Vehicle Information
Search	321140 Search	Open Save
	[(9105- SOARER	
Model	Frame No	Production Date
Search	- Search	
Characteristics		Color Code
Engine Body Grade	AIM/MIM Irans	
		Trim Code
Customer Language	Notes	
@ English @ French @ Geo	man 🔿 Spanish	
17	1 - h	
Enter VIN catalog co	de or model and press enter key	
Add necessary informa	tion and press F10 key.	. /
F1:Help F2:Select F3:Back F4:Main	F6:Hcpy	FID:Exec F11:Cler F12:Vint
tart 🕺 😗 Microsoft Word - Use 👟 VEHICLE INPUT		EN 🖞 🔇 914

At this point you can also populate the VIN, Frame No, Production Date, Colour Code, Trim Code fields etc (entering some fields will automatically populate others). When you have put in as much info as you can, click 'F1O:Exec' or press F1O. Note: Once you have sussed your car you can save all this!

ĪSı

		UIU	JIF
		VEHICLE INPUT	
Ĩ	inen j	Hodel some-Catalog Code 321148 Smooth	Teknike Interneting
	nde t	From Bo	Production Sule
	UZ.10-ACPVE Search	UZZ30 + 0008816 (Bench	1997 신 47 신
e	Englan Body Grade AT	N-WIN Trees	Cotor Code
			Tris Cole
e	- English C French C Borns	a Consist	

The Search Route screen is now displayed. This is basically asking you which parts section you want. It will look something like this (this example is the most basic one, where I have clicked F10Exec on the screen above)

SEARCH ROUTE	
SEARCH ROUT	E
VIN/VDS	Production Date(YYYY-MM) 199207 Color Code 051 Trim Code
FIG GROUP	Figure Number
 ☐ Tool/Engine/Fuel Group(1)Figure 09-01 to 26-06 ☐ Power Train/Chassis Group(2)Figure 31-01 to 48-05 ☐ Body Group	-Part Name Code
PNC Input(Bypassing Figure) Refer	Part Number
Group Search Search	Group Search
Local Figure Number Refer	Keyword Search
Select a search route by sliding scroll ba enter key. Multiple Figure Groups can be	r and pressing selected.
F1:Help F3:Back F4:Main F6:Hcpy	F10:Exec F11:Cler
SEARCH ROUTE	EN 🖞 📢 9:1794
Start W/Moreeoft Word - Use SEARCH ROUTE	

Make a selection of the group or groups you want from the FIG GROUP section. It takes some trial and error to get it right (or you could select all four if you like!)

When you've made your selection, click 'F10:Exec' or press F10.

SEARCH ROUTE				
SEARCH ROUTH	5			
VIN/VDS	Production Date(YYYY-MM) 199207			
Model (Frame No) UZZJU-ACPVK UZZJU +0006816 Characteristics Engine Body Grade ATM-MIMTrans	Color Code 051			
Notes	Trim Code			
FIG GROUP	Figure Number			
□ Fouri frain causars of oup(2) Figure 31 of 10 10 05 05 □ Body Group	Part Name Code			
PNC Input(Bypassing Figure) 	Part Number			
Group Search Search	Group Search			
Local Figure Number	Reyword Seatch CALIPER			
Enter a keyword and press F10 key. A list of PNCs and figure numbers containing this keyword will be displayed. F1Help F3Back F4Main F6Hcpy F10Exec F11:Cler				
# start Word-Use SEARCH ROUTE	EN 😤 🕏, 91999			

Select what it is you want, or something like what you want.

KEYWORD SEA			
)]@?	KI Catalog Code 321140 Nodel Hame 9105- 80 Rey Word CALIPER Description DOLT. HELAOKAI (FOR SEAR CALIPE DOLT. HELAOKAI (FOR SEAR CALIPE	EYWORD SEARCH	this
T() He	Delect part name codes and pr costaining these parts name c flbox felme f	ress F10 key. Illustrations redes will be displayed. Fintpy PRICec FIICer	



Now comes the fun bit: you'll start seeing the pictures. You can use the Prev and Next buttons to move backwards and forwards through the picture 'set' you have selected. If there are no more frames though, it will crash, so make sure you saved vehicle info right at the beginning before risking that.

As you find parts which look likely, you can click any number in a box on the picture, which will highlight the text description of it on the right. Or if you know which bit you want but can't see it in the picture, select it directly from the list.

You can make any number of concurrent selections from any of the pictures in the set by using Next and Prev to move between them.

Once you have selected all the parts or part groups you are interested in, clicking 'F10:Exec' will take you to the finer detail within any groups you selected.

PART NUMBER TRANSLATION RESULTS			
VIN/VDS Catalog Code 321140 Model Name (9105 Model(Frame No) UZZ30-A0 Characteristics Engine Notes	PART NUN 0006816 - SOJ 2PVK Body Grad	ABER TRANSLATION RESUL ARER) (UZZ 30 - [0006016]) de ATH/MIM Trans	TS Production Date(YYYY-MM) 1991 + 07 + Color Code 051 Trim Code Match On 1 Page 1/1
No PNC# Q' Part Number	Q' ProdDate	Part Name	Models(Description)
01 47710A 01 90105-12175-	04 9105-	BOLT. HEXAGON (FOR FRONT DISC BRAKE CALIPER)	JZZ3#_UZZ3# +12-1.25PX35-27
Select the no	F4:Main F5.F	by pressing an appropriate P 74 F6:Hcpy F7:Prev F8:Next	F key. F9:Abb F10:Mchoff F11:Route F12:Input

You can continue the selection/next/prev/exec process until the 'Part Number Translation Results' screen is shown, which means you have gone down as far as possible to the individual parts themselves. If you have made an error, you can use the 'Back' button at any point (much like a web browser!) to return to the previous screen.

Now, is that cool, or what?

IF IT DOES NOT WORK, REMOVE THE FILES AND START AGAIN, TRY THIS FOR 3 TIMES. IF AFTER 3 TIMES, SCREAM VERY LOUDLY, KICK THE CAT AND DO IT AGAIN. THE APPLICATION IS FLAKEY, BUT WILL EVENTUALLY "STICK".

Jeff@cartridgecollection.com.au